

FIG. 1





FIG. 2

2/14

FIG. 3





FIG. 4



4/14

FIG. 5




FIG. 6






FIG. 6

FIG. 7



6/14

FIG. 8






FIG. 9

FIG. 9

FIG. 10



```
Y0Ya JFIF H H y! oPhotoshop 3.0 8BIM
a x O#!dcdisplay
\fp\b0\\i0\\fs10\Source-Local:Staff; Date~22.12.1997; Type~Color;
EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE
\fs16\\b<No Title>\fs12\\b0\
Holding-JW-Aphoto4/22 Dec 1997/Photo by Jeff WidenerDANGEROUS RIDE 2Two
young people sit in the back of a pickup truck in Molokai.
\fp\b0\\i0\\fs10\EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE
\fp\\i0\\b\\fs16\Copyright 1997 - The Advertiser
\fp\b0\\i0\\fs10\Year=1997; Month=12; Month=Dec; Day=22; Day=Mo;
Copyright=Advertiser-Yes; Photographer~Jeff_Widener; Object=Truck_Bed;
Event=Riding_on_Truck_Bed; Municipality=Honolulu; State=Hawaii;
Mainkey=Truck/Truck_Bed; Paper=Advertiser_Final; Published=23.12.1997;
Page=A5;
Aspect=Local:Staff; Aspect=22.12.1997; Aspect=Color; Aspect=1997;
Aspect=12; Aspect=Dec; Aspect=22; Aspect=Mo; Aspect=Advertiser-Yes;
Aspect=Jeff_Widener; Aspect=Truck_Bed; Aspect=Riding_on_Truck Bed;
Aspect=Honolulu; Aspect=Hawaii; Aspect=Truck; Aspect=Truck Bed;
```

9/14

FIG. 10A

d_FeatureType	
Name	char(255) null

PopPlaces	
FeatureName	nvarchar(50) null
FeatureType	nvarchar(50) null
CountyName	nvarchar(50) null
County_FIPS	int null
PLatitude_DMS	nvarchar(50) null
PLongitude_DMS	nvarchar(50) null
PLatitude_DD	float(53) null
PLongitude_DD	float(53) null
CellName	nvarchar(50) null
state	nvarchar(2) null
WordCount	decimal(18) not null
NPA	nvarchar(3) null
ZIP	nvarchar(5) null
CD_ID	nvarchar(10) null
popplaces2	
popplaces3	


Us_concise	
ID	<pk> int identity
FeatureName	nvarchar(51) null
FeatureType	nvarchar(10) null

db_majorwater	
ID	<pk> int identity
name	nvarchar(30) null
x_coord	float(53) null
y_coord	float(53) null
upsized_ts	timestamp null
aaaaadb majorwater PK	

db_landmarks	
ID	<pk> int identity
fcc	nvarchar(3) null
name	nvarchar(30) null
x_coord	float(53) null
y_coord	float(53) null
upsized_ts	timestamp null
aaaaadb landmarks PK	

HistoricalPlaces	
ID	<pk> int identity
State	nvarchar(7) null
FeatureName	nvarchar(47) null
FeatureType	nvarchar(11) null
County	nvarchar(17) null
GC1	nvarchar(7) null
GC2	nvarchar(10) null
TopoMap	nvarchar(26) null

10/14



ISO-3166-1	
Abbreviation	nvarchar(255) null
CountryName	<pk> nvarchar(255) not null

AreaCodes	
AreaCode	nvarchar(255)
STATE	<fk> nvarchar(255)
X_COORD	float(53)
Y_COORD	float(53)

```
state_abbr = STATE
upd(R); del(R); cpa
```

db_states	
area	float(53)
state_name	nvarchar(25)
state_fips	nvarchar(2)
sub_region	nvarchar(7)
state_abbr	nvarchar(2)
pop1990	int
pop1999	int
pop90_sqmi	int
households	int
males	int
females	int
white	int
black	int
amer_ies	int
asian_pi	int
other	int
hispanic	int
age_under5	int
age_5_17	int
age_18_29	int
age_30_49	int
age_50_64	int
age_65_up	int
nevermarr	int
married	int

12/14

FIG. 10D

State_FIPS = age_18_29
upd(R); del(R); cpa

[0,n]

state_FIPS = state_fips
upd(R); del(R); cpa

[0,n]

db_retailcenters	
state	<fk> nvarchar(2) null
county	<fk> nvarchar(3) null
name	nvarchar(30) null
foc	nvarchar(3) null
x_coord	float(53) null
y_coord	float(53) null
upsz_ts	timestamp null
aaaaadb_retailcenters_PK	

name = county
upd(R); del(R); cpa

[0,n]

name = county
upd(R); del(R); cpa

[0,n]

db_counties	
ID	<pk> int identity
name	nvarchar(20) null
state_name	nvarchar(25) null
state_fips	<fk> nvarchar(2) not null
cnty_fips	<fk> nvarchar(3) null
fips	nvarchar(5) null
area	float(53) null
pop1990	int null
pop1999	int null
pop90_sqmi	int null
households	int null
males	int null
females	int null
white	int null
black	int null
amerl_es	int null
asian_pi	int null
other	int null
hispanic	int null
age_under5	int null
age_5_17	int null
age_18_29	int null
age_30_49	int null
age_50_64	int null
age_65_up	int null
nevermarry	int null
married	int null
separated	int null

FIG. 10E




FIG. 10E

FOIA(b)(7) - D




FIG. 10F